

*1995 – 2017 : les éléments génétiques mobiles.*

[Kinetic analysis of the interaction of Mos1 transposase with its inverted terminal repeats reveals new insight into the protein-DNA complex assembly.](#)

Esnault C, JaiIlet J, Delorme N, Bouchet N, Renault S, Douziech-Eyrolles L, Pilard JF, **Augé-Gouillou C**. Chembiochem. 2015 Jan 2;16(1):140-8. doi: 10.1002/cbic.201402466. Epub 2014 Dec 8. PMID: 25487538

[Target capture during Mos1 transposition.](#)

Pflieger A, JaiIlet J, Petit A, **Augé-Gouillou C**, Renault S. J Biol Chem. 2014 Jan 3;289(1):100-11. doi: 10.1074/jbc.M113.523894. Epub 2013 Nov 22. PMID: 24269942 Free PMC article.

[cAMP protein kinase phosphorylates the Mos1 transposase and regulates its activity: evidences from mass spectrometry and biochemical analyses.](#)

Bouchet N, JaiIlet J, Gabant G, Brillet B, Briseño-Roa L, Cadene M, **Augé-Gouillou C**. Nucleic Acids Res. 2014 Jan;42(2):1117-28. doi: 10.1093/nar/gkt874. Epub 2013 Sep 29. PMID: 24081583 Free PMC article.

[Natural stilbenoids isolated from grapevine exhibiting inhibitory effects against HIV-1 integrase and eukaryote MOS1 transposase in vitro activities.](#)

Pflieger A, Waffo Teguo P, Papastamoulis Y, Chaignepain S, Subra F, Munir S, Delelis O, Lesbats P, Calmels C, Andreola ML, Merillon JM, **Auge-Gouillou C**, Parisi V. PLoS One. 2013 Nov 28;8(11):e81184. doi: 10.1371/journal.pone.0081184. eCollection 2013. PMID: 24312275 Free PMC article.

[Regulation of mariner transposition: the peculiar case of Mos1.](#)

JaiIlet J, Genty M, Cambefort J, Rouault JD, **Augé-Gouillou C**. PLoS One. 2012;7(8):e43365. doi: 10.1371/journal.pone.0043365. Epub 2012 Aug 14. PMID: 22905263 Free PMC article.

[Transposase-transposase interactions in MOS1 complexes: a biochemical approach.](#)

Carpentier G, JaiIlet J, Pflieger A, Adet J, Renault S, **Augé-Gouillou C**. J Mol Biol. 2011 Jan 28;405(4):892-908. doi: 10.1016/j.jmb.2010.11.032. Epub 2010 Nov 24. PMID: 21110982

[In vitro recombination and inverted terminal repeat binding activities of the Mcmar1 transposase.](#)

Renault S, Demattéi MV, Lahouassa H, Bigot Y, **Augé-Gouillou C**. Biochemistry. 2010 May 4;49(17):3534-44. doi: 10.1021/bi901957p. PMID: 20359246

[Site-directed integration of transgenes: transposons revisited using DNA-binding-domain technologies.](#)

Demattei MV, Thomas X, Carnus E, **Augé-Gouillou C**, Renault S. Genetica. 2010 May;138(5):531-40. doi: 10.1007/s10709-009-9390-y. Epub 2009 Aug 7. PMID: 19662501

[Mariner Mos1 transposase optimization by rational mutagenesis.](#)

Germon S, Bouchet N, Casteret S, Carpentier G, Adet J, Bigot Y, **Augé-Gouillou C**. Genetica. 2009 Dec;137(3):265-76. doi: 10.1007/s10709-009-9375-x. Epub 2009 Jun 17. PMID: 19533383

[Physical properties of DNA components affecting the transposition efficiency of the mariner Mos1 element.](#)

Casteret S, Chbab N, Cambefort J, **Augé-Gouillou C**, Bigot Y, Rouleux-Bonnin F. Mol Genet Genomics. 2009 Nov;282(5):531-46. doi: 10.1007/s00438-009-0484-0. Epub 2009 Sep 23. PMID: 19774400

First Mariner Mos1 transposase inhibitors.

Bouchet N, Bischerour J, Germon S, Guillard J, Dubernet M, Viaud-Massuard MC, Delelis O, Ryabinin V, Bigot Y, **Augé-Gouillou C**. Mini Rev Med Chem. 2009 Apr;9(4):431-9. doi: 10.2174/1389557097847912. PMID: 19356121 Review.

Factors acting on Mos1 transposition efficiency.

Sinzelle L, Jégot G, Brillet B, Rouleux-Bonnin F, Bigot Y, **Augé-Gouillou C**. BMC Mol Biol. 2008 Nov 26;9:106. doi: 10.1186/1471-2199-9-106. PMID: 19036139 Free PMC article.

Molecular evidence for the evolution of ichnoviruses from ascoviruses by symbiogenesis.

Bigot Y, Samain S, **Augé-Gouillou C**, Federici BA. BMC Evol Biol. 2008 Sep 18;8:253. doi: 10.1186/1471-2148-8-253. PMID: 18801176 Free PMC article.

Assembly of the Tc1 and mariner transposition initiation complexes depends on the origins of their transposase DNA binding domains.

Brillet B, Bigot Y, **Augé-Gouillou C**. Genetica. 2007 Jun;130(2):105-20. doi: 10.1007/s10709-006-0025-2. Epub 2006 Aug 16. PMID: 16912840 Review.

Assembly of the mariner Mos1 synaptic complex.

**Augé-Gouillou C**, Brillet B, Hamelin MH, Bigot Y. Mol Cell Biol. 2005 Apr;25(7):2861-70. doi: 10.1128/MCB.25.7.2861-2870.2005. PMID: 15767689 Free PMC article.

Conservation of Palindromic and Mirror Motifs within Inverted Terminal Repeats of mariner-like Elements.

Bigot Y, Brillet B, **Augé-Gouillou C**. J Mol Biol. 2005 Aug 5;351(1):108-16. doi: 10.1016/j.jmb.2005.05.006. PMID: 15946679

Mariner Mos1 transposase dimerizes prior to ITR binding.

**Augé-Gouillou C**, Brillet B, Germon S, Hamelin MH, Bigot Y. J Mol Biol. 2005 Aug 5;351(1):117-30. doi: 10.1016/j.jmb.2005.05.019. PMID: 15992822

Characterization of Mcmar1, a mariner-like element with large inverted terminal repeats (ITRs) from the phytoparasitic nematode Meloidogyne chitwoodi.

Leroy H, Castagnone-Sereno P, Renault S, **Augé-Gouillou C**, Bigot Y, Abad P. Gene. 2003 Jan 30;304:35-41. doi: 10.1016/s0378-1119(02)01144-7. PMID: 12568713

The ITR binding domain of the Mariner Mos-1 transposase.

**Augé-Gouillou C**, Hamelin MH, Demattei MV, Periquet G, Bigot Y. Mol Genet Genomics. 2001 Mar;265(1):58-65. doi: 10.1007/s004380000386. PMID: 11370873

The wild-type conformation of the Mos-1 inverted terminal repeats is suboptimal for transposition in bacteria.

**Augé-Gouillou C**, Hamelin MH, Demattei MV, Periquet M, Bigot Y. Mol Genet Genomics. 2001 Mar;265(1):51-7. doi: 10.1007/s004380000385. PMID: 11370872

Features of the mammal mar1 transposons in the human, sheep, cow, and mouse genomes and implications for their evolution.

Demattei MV, **Augé-Gouillou C**, Pollet N, Hamelin MH, Meunier-Rotival M, Bigot Y. Mamm Genome. 2000 Dec;11(12):1111-6. doi: 10.1007/s00350010204. PMID: 11130980

[Identification of mariner-like elements from the root-knot nematode \*Meloidogyne\* spp.](#)

Leroy H, Leroy F, **Augé-Gouillou C**, Castagnone-Sereno P, Vanlerberghe-Masutti F, Bigot Y, Abad P. Mol Biochem Parasitol. 2000 Apr 15;107(2):181-90. doi: 10.1016/s0166-6851(00)00183-3. PMID: 10779595

[Computer analyses reveal a hobo-like element in the nematode \*Caenorhabditis elegans\*, which presents a conserved transposase domain common with the Tc1-Mariner transposon family.](#)

Bigot Y, **Augé-Gouillou C**, Periquet G. Gene. 1996 Oct 3;174(2):265-71. doi: 10.1016/0378-1119(96)00092-3. PMID: 8890745

[Human and other mammalian genomes contain transposons of the mariner family.](#)

**Auge-Gouillou C**, Bigot Y, Pollet N, Hamelin MH, Meunier-Rotival M, Periquet G. FEBS Lett. 1995 Jul 24;368(3):541-6. doi: 10.1016/0014-5793(95)00735-r. PMID: 7635217